

Collection no. 179

Coast + Tablelands,

K.H.L. Key

N.S.W.

6-10/1/1973

46728.6. Tallong.

734.1. Wingello

737.7. Penrose

740.8. Gentle slope with white sandy
soil. E. sieberiana, E. considenciana, E.

piperita + occ. E. haemastoma or micrantha
to 60ft dense, with mixed shrubs to 4ft.
incl. Banksia sp., Persoonia sp., Daviesia
sp., Acacia sp., Stropholula sp., + lower
heathy plants with Caustis sp. + Zoopogon
sp. to 3ft, & some lower grasses in
places, occ. Leschenaultia + Goodenia(?)
to 6in, occ. Xanthorrhoea sp., patches
of lilies. Tympanophora apparently
on Caustis, Pseduma apparently 20.
Phaul. vittatum.

743.5. Bundanoon.

7/1.

747.5. Bundanoon depot on Penrose road.

748.6. Gentle rise with open *E. haemastoma* or *micrantha* to 50ft. Probably *Podium* *mesogramme*, *Microcline* sp. 8105, *Tetrin* sp., *Gonorea* sp., *Isocarpha* *inclaudens*, *Ciriphaea* *pyrrhocaulis*, partly cleared; partly ploughed. *Lambertia* *prostrata* ^{*insolens*} *Monistria* *condensa* sp., *Hakea* sp., *Banksia* sp., *Leptospermum* sp. to 2ft, *Shipa* sp. + other grasses thin to 2-3ft, *Goodenia* sp. + occ. *Dampiera* ^{+ *Paterosonia*} *stricta* sp. to 9 in, *Haemadorum* scattered about, *Lyrus* sp. + *Cyperaceae* to 10 in other low herbs + shrublets. *Monistria* apparently associated with *Goodenia*.

749.5. low-lying area margining swamp. *Proscyllium* ^{*insolens*} white sand. *E. haemastoma* (?) to 40ft with *Lambertia*, *Hakea* ^{sp.}, *Persoonia*, *Banksia*, *Petrophila* ~~*Proscyllium*~~ + other shrubs to 3ft, *Shipa* sp. occ. to 3ft, *Lomandra* sp., *Paterosonia*, *Dampiera* (2), *Goodenia* (?), with *Cyperaceae* occ. to 10 in.

750.1. Return.

8/1.

877.4. Junction of Prince's Highway + Audley roads. Took former.

899.7. Engadine railway station.

901.1. Heathcote railway station.

904.6. Waterfall

905.7. Heath in depression. Pale sand, occ.

Phaul. Minyacris nanus, Hakea brownii
flat sandstone exposures. *Angophora* sp.
2 to 4 ft.
Acacia sp., *Hakea* spp. (2), *Leptospermum* sp.

occ. *Xanthorrhoea*, *Cyperaceae* or *Restionaceae*
to 2 ft. *Exuma*, *Gastromargus*.

910.4. Turn-off to Stanwell Park.

912.7. Rise with white sand & occ. ^{flat} sandstone
Podiuma nungayensis, *Morabine* sp. P105, *Paraleptis*
outcrops. Heath to 3 ft produced by removing
Phaul. nanus, Macrotona *dusshakia*
low dry sclerophyll forest under power line.

Banksia spp. (2), *Hakea* spp. (2), *Leptospermum*
sp., *Xanthorrhoea* (acauliscent), *Casuarina*
sp. occ. all to 2-3 ft, sedges or restios to
18 in esp. dense in patches. occ. forbs. *Exuma*

Phaul. villosatum

914.8. Gentle slope with pale sand, apparently

Podiuma nungayensis, *Morabine* sp. P105, *Monotonia*
naturally treeless heath. Mainly to 1 ft,
discrepans
with stunted *Banksia* spp. (2), *Hakea* sp.,

Personia sp., *Leptospermum* sp.,
Zsopogon sp. & *Casuarina* sp., all widely
 spaced, between ^{them} acanthescent *Xanthorrhoea*,
Cyperaceae or *robionaceae*, occ. *Tyris*,
Haemadorum very abundant, occ. thin
Dampiera stricta
 patches ~~*Scaevola* (2) (spec.)~~ & *Goodenia* sp. (?).
Bauera sp. in places to 4 in.
Moussieria on ~~*Scaevola* (2)~~ *Dampiera*

9/1.

46936.9. Wollongong. Proceeded south.

938.2. Turned off for Mt. Keira.

939.3. Mt. Keira P.O.

942.2. Turned right for Mt. Keira ^{Summit} Look-out.

943.0. Mt. Keira summit. ~~Return~~.

E. sieberiana & *Syncaepia* ^{dense} to 70ft., *Banksia*
 sp. to 15ft, regrowth of mainly *Syncaepia*
 to 10ft, *Lomandra* sp. to 2ft. ^{*Tetralix* sp.} *Tetrigids* on
 partly bare, partly leaf-littered path. Pale
 grey sand. Return.

943.8 = 942.2

944.1. Road to ^{off} *keton* on left.

945.6. Turned left into Mt. Oudsley road (?)

946.1. Road to Picton off to left.

951.7. Turn-off to Bulli Pass on right.

952.3. Turned right for Bulli Look-out.

952.4. Bulli Look-out.

[N.B. All these villages are on old Prince's Highway, not on expressway now under construction.]

952.6 = 952.3

952.8. Road off to Appin on left.

953.8. Turned right for Sublime Point.

954.3 = 953.8. Turned left.

955.3. Turned right for Appin.

956.5. Loddon River.

956.7. Gentle slope down from sandstone
Monistria discrepans, *Gomphocarpus australasicus*,
 rise. White sand. *E. Seebornia* & *E.*
morabine sp. P105, *Girardinia pyrochloa*, *Ischaemum*
hamastoma/micrantha to 25 ft. fungus
incluens, *Macrodon australis*, *Phytolacca modesta*,
 heath on sapage slope. *Banksia* sp., *Hakea*
Prednum musgravei
 sp., *Leptospermum* sp to 2 ft, *Cyperaceae*/
restionaceae & acaulescent *Xanthorrhoea*
Dampiera stricta (Sm.) R. Br.
 to 1 ft, *Thymus* ~~*Scaevola* (?)~~ + *Goodenia* (?) to
Goodenia stelligera

9 in. interspersed with shrubs & sedges on
 borders of heath patch & edge of timber.
 Scattered *Haemadorum* & *Islandfordia*. *Dampiera*
Mompha associated with ~~*Scaevola*~~.

Immense nymphs present. Phaul. Vitt.,
Gaster.

961.9. Turned left.

964.5. Cataract Dam. Return.

967.1. = 961.9. Turned left.

970.9. Appin.

974.4. Cataract R.

974.8. Top of Broughton Pass. *E. haemastoma*
Coryphistes ruscicola, *Goniaca opomaloidea*
micrantha & a grey-gum to 40ft, & a

very narrow-leaved *Angophora* to 25ft.

Healthy understorey. Pale sandy soil.

975.7. Road off to left to Wollongong.

977.7. Wilton. Return.

979.5. Turned right.

983.1. Gentle undulations. Brown soil
Podocarpus nuxifolius
 with stony surface. *E. haemastoma*/
micrantha & *E. gunnifera* to 60ft with

Banksia sp., *Acacia* spp. (2), *Hakea* spp. (2),
Zoogo sp., *Petrophila* sp., *Persoonia* sp.,
Leptospermum sp. + epacids to 3 ft, *Themeda*
 australis ^{to 2 ft} & *Poa australis* to 10 in frequent,
 occ. *Leschenaultia* (?) + *Goodenia* (?), occ.
 sedges/restionaceae.

985.2. Turned right.

987.2 *Cordeana* Dam. Return.

989.4. = 985.2. Turned right.

992.1. Swamp heath on margin of depression
<sup>*Chrysomela*, *gyp.* 1, *Monistria* ~~*del.*~~ *gyp.* 1, *Phigala*
modesta, *Goniada* *oponaboides*</sup>
 leading to swamp bounded by E.
haemastoma/micrantha & *E. sieberiana*
 to 60 ft. *Banksia* sp. to 8 ft, *Banksia* spp
 (2), *Hakea* sp., *Leptospermum* spp., all to 3 ft,
 cyperaceae/restionaceae to 1 ft, scattering
^{*Dampiera stricta*}
 of ~~*Scaevola*~~ + *Goodenia* spp. to 9 in.
Monistria associated with ^{*Dampiera*} ~~*Scaevola*~~.

996.7. Mt. Kira road off to right. Took
 Mt. Oudilly road.

998.8 Road junction. Turned R.

47014 .8 Primbey (some waste of miles).

019.8. Windang (more wasted miles)

10/1.

023.8. Shellharbour.

026.8. Bass Point. East, Phaul with Return.

030.0. Shellharbour.

037.6. Kiama

042.8. Turned left.

044.0. Gerringong

046.2. Crossed river. Extensive Caravan camp.

047.3. Start of Seven Mile Beach State Park on left.

048.6. Turned left.

048.7. Beach. Return.

053.7. Berry.

162.1. Edge of ^{margin lake,} swamps ^{fringed with}
^{Schizanthus} ^{10-25 ft.} ^{flaberratus,}
Casuarina glauca / ^{1-3 ft.} ^{australis} ^{Cyperaceae / Restionaceae}
^{Atractonopha} of several species with *Zorua* + other
^{an excellent} grasses + *Goodenia* sp. forming mats

to 2 in. Apparently suitable for *Pseudomys*
pedicularis (at least): none seen.

162.2. Coila Creek.

163.1. Road off to left to Turons Heads.

169.1. Bodalla.

176.1. Turned left.

178.0. Dalmeny.